



NO. 719 Dt. 17.06.2026

QUOTATION CALL NOTICE

Sealed quotations are invited from Redg. Firms/ Suppliers for supply, installation and commissioning of **Laptop, Printer, Stabiliser, UPS and Split AC** at ITI, Jharsuguda under the terms and conditions mentioned below. The sealed quotations should reach the office of the undersigned on or before dt.30.06.2026 by 5.00 P.M. positively either Speed Post/Registered Post only super scribing on the envelope quotations "**Supply of Laptop, Printer, Stabiliser, UPS and Split AC at ITI Jharsuguda**". The quotation will be opened on Dt.04.07.2026 at 11 AM in the office chamber of undersigned in presence of purchase committee.

- a) Date of commencement of bid: 16.06.2026
b) Last date and time for Receipt of bids: Dt.30.06.2026 up to 5.00 PM (By Speed Post/Registered Post only)
c) Time and date of opening of Tender/bid: Dt.04.07.2026 at 11 AM

Place of Receipt and Opening of Tender and Address for Communication: The Principal, Govt. ITI Jharsuguda, AT-JES Campus, PO-K.M Road, Dist-Jharsuguda, Pin-768202.

The authority reserves all rights to accept or reject the quotations without assigning any reason thereof.

Format for Quotation

Sl. No.	Name of the item with Specification	Reputed Brand Quoted	Rate per Unit	% of GST		Total Cost
				CGST	SGST	


16.06.2026
Principal

Industrial Training Institute
Jharsuguda

Memo No. 720 /Dt. 17.06.2026

Copy to Notice Board of Govt. ITI Jharsuguda / Collectorate notice board, Jharsuguda/ JES Jharsuguda notice board/ Dist. Employment Officer, Jharsuguda Notice Board/DWO Notice Board/DIC Notice Board/Institution Website for wide circulation and general information.


16.06.2026
Principal

Industrial Training Institute
Jharsuguda

Memo No. 721 /Dt. 17.06.2026

Copy to all members of Purchase Committee of ITI Jharsuguda for information & necessary action. They are requested to remain present on the dt.04.07.2026 & time 11.00AM for opening of quotations as mentioned above.


16.06.2026
Principal

Industrial Training Institute
Jharsuguda

GENERAL TERMS & CONDITIONS OF CONTRACT FOR SUPPLY, INSTALLATION AT GOVT. ITI JHARSUGUDA, ODISHA.

1.Document Establishing Bidder's Eligibility & Qualification

The Bidders shall furnish as part of the Bid the following Documents establishing Bidder's eligibility and qualification to the Purchaser's satisfaction.

1. If The bidding firm is not directly the Manufacturer of the items then it must produce satisfactory documents that it is the Authorized Distributor / Dealer having valid license / certificates /documents for supply of the quoted item along with technical brochure/leaflet of quoted items (if applicable) along with copy of manufacturers industry Registration certificate/ GST Reg Certificate.
2. Higher Preference shall be given (at the discretion of purchaser) to Bidders having ISI / ISO or equivalent Quality certification for quoted items and the items shall necessarily be of reputed national/international make preferably from ISO Certified manufacturers. However, the Purchaser reserves the right to consider the items where ISI/ISO or equivalent certification products are not applicable/ available among the bidders.
3. The Bidder whether manufacturer/ distributor/ dealer must have experience of supply and installation of the similar items in reputed Government Institutions / Public Undertakings / reputed Private Institutions within India during last preceding 01 (One) year reckoned from the date of bid opening and the details must be submitted along with documentary proof.
4. The Bidders shall have to produce document in support of their service associates nearest to institute.
5. Bidder shall have to install all the items in this institution within 15 days of delivery.
6. The Bidder shall quote items of only one reputed Brand/model with all associated accessories (if any) in complete to perform functionality of Equipment where ever necessary.
7. Manufacturer has to submit copy of Tax Registration Certificate issued from competent authority.
8. In case No bidder satisfies the terms and conditions of this bid, then the purchaser at its discretion may decide to relax some of the criteria.
9. The material shall be delivered at ITI Jharsuguda within 30 (thirty) days from the date of issue of Purchase Order. The goods on delivery will be physically verified by the Consignee Principal of ITI through Technical Experts of this Institute and it shall be responsibility of the suppliers to arrange demonstration on functioning of individual Goods wherever required. Penalty shall be imposed for late delivery. Tender shall remain valid for a period of not less than 60 days after deadline date specified for submission.


16.06.2026
Principal
Govt. ITI, Jharsuguda
Odisha- 768202

2. Technical Bid (COVER - A)

The following document should be submitted in cover-A.

1. The bidder must possess a valid GST Registration Certificate and PAN Card. Copies of the same shall be submitted along with the bid.
2. Recent last 03 month GST Return in GSTR -3B must be submitted.
3. The bidder should have prior experience in the supply of equipment to Government Institutes/Organizations.
4. The bidder must have an average annual turnover of ₹10 Lakhs or higher during the last three financial years. Certified copies and CA certificate shall be submitted in support of the turnover criteria with UDIN Number.
5. The OEM should not be banned/debarred/blacklisted by any government/ institution globally. Declaration must be enclosed.
6. All supplied equipment shall be new, unused, and conform to the technical specifications mentioned in the tender document.
7. Bidder must supply of the quoted item along with technical brochure/leaflet of quoted along with copy of manufacturers industry Registration certificate.
8. Each quoted item and all accessories should cover the warranty / guarantee for 2(two) years from the date of commissioning. Warranty certificate must be submitted.
9. The bidder shall be responsible for safe delivery, installation, testing, and commissioning and demonstration of the equipment at the consignee location.
10. Any defect arising during the warranty period shall be rectified/ replaced by the supplier at no additional cost to the purchaser.
11. The quoted prices shall be inclusive of all applicable taxes, duties, packing, forwarding, transportation, and insurance charges unless otherwise specified.
12. Delivery of the equipment shall be completed within the stipulated delivery period mentioned in the purchase order which is 15 days.
13. The purchaser reserves the right to accept or reject any or all bids without assigning any reason thereof.
14. Incomplete bids or bids without supporting documents may be summarily rejected.
15. The bidder has to submit OEM AUTHORIZATION (MAF) for the primary items with complete address and contact details of the Authorized Dealer that will be cross-checked with OEM for its authenticity.
16. Bidder/OEM must have submit dedicated Toll-Free Telephone No. for Service Support in their letter head
17. Warranty Certificate of 2 year for all the product Signed by OEM to be uploaded for the product model quoted.
18. Data sheet of the product must be submitted.



16.06.2026

Principal

Govt. ITI, Jharsuguda
Odisha- 768202

3. Price Bid (COVER – B)

1. The hard copy of price bid giving the rates for various items should be submitted in separate sealed cover hereinafter called Cover B (Price Bid). Price Bid (Cover - B) of those bidders shall be opened who qualify in Technical Bid (Cover – A).
2. The price of each item shall be quoted as per the prescribed Price Schedule Format along with price break up. The total price quoted against each item shall include all kinds of custom/excise Duty, Tax, Packing, Transporting, Handling charges, Insurance charges or any other levy up to destination of installation including commissioning/ testing/ training at of ITI Jharsuguda.
- 3 Each quoted item and all accessories should cover the warranty / guarantee for 2(two) years from the date of commissioning
4. The Cover B of the technically qualifying bidders shall be only opened at the Office of the "The Principal, Govt. ITI Jharsuguda" on the the same date of the opening of the BID.

4.SUBMISSION OF BIDS

Bid should be submitted in two Bid system containing two parts as detailed below.

Sealed Cover-A: Technical Bid.

Sealed Cover-B: Price Bid (hardcopy)

Both the sealed envelopes should then be put in one outer cover and each cover should have the

Following indication:

- Name of Package. _____
- Bid regarding Supply of _____
- Name of the Firm _____

Bids submitted without following two Bid system procedures as mentioned above and without seal and sign on individual documents will be summarily rejected.

5.Award of contract

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

6.Payment Terms

Full payment shall be made after receipt of original bills /stock entry certificate after satisfactory supply, installation, & training of the goods along with submission of warranty obligation within due date of delivery.

Normal commercial warranty/ guarantee shall be applicable to the supplied goods.

We look forward to receiving your quotations and thank you for your interest in this project


16.06.2026

Principal
Industrial Training Institute
Jharsuguda

List of Items

Sl No	Item & Description	Qty	unit	Price per unit(Rs.)	Gst@18%	Price per unit with GstRs.)	Total Price (Rs.)
1	Laptop	2	Nos				
2	A/c 2ton with stabilizer and complete installation	2	Nos				
3	printer A4 black and white	1	Nos				
4	invertor with battery 200AH	1	Nos				
5	Online ups 1kva with battery 12v ,26ah- with rack	4	Nos				
TOTAL							


16.06.2026

Principal
Industrial Training Institute
Jharsuguda

Specification Sheet for Split Air Conditioner with Stabiliser			
Features	Description	Complied Yes/No	Deviations if any
		Mention the value	
Nominal Capacity	2 Ton 5 Star Inverter AC		
Year of manufacturing	2026		
Star Rating	5 Star		
Rated Cooling capacity	6200 W OR More		
Convertible/Adjustable Mode	4-in-1 or 5-step adjustable modes (operates in multiple tonnages)		
Condenser Coil	100% Copper with Anti-Corrosive Coating		
Air Filtration	Anti-Dust Filter with Anti-Microbial Coating		
Refrigerant Gas	R-32 (Eco-friendly)		
Noise Level	Low noise operation (approx. 45-48 dB)		
High Ambient Cooling	Operates at up 52°C		
Key USP	Dual Temp Display		
	Anti-dust filter with anti-microbial coating		
	Self-Diagnosis		
	Turbo mode. [1, 2, 3, 4, 5]		
Warranty -Compressor	Minimum One Year Comprehensive Warranty ,More than 5Yrs Compressor on site		
stabiliser	Should have digital Display The Unit woks automatically without any manual intervention. It automatically Steps Up and Steps Down Output Voltage according to A.C. Input Voltage to keep connected Appliance safe. hence the Input Voltage range goes beyond 130V & 300V, it automatically cuts the Grid Supply so that there is no harm to the Air Conditioner and should have at least 2 Years onsite Warranty		

Power Supply (UPS) System for 1000VA			
Features	Description	Complied Yes/No	Deviations if any
		Mention the value	
UPS range	1 KVA /230V		
Style	Tower		
UPS ratings	Single In and Single Out		
Capacity (in kVA / kW)	1 kVA, 0.8 O/P power factor		
Technology and Capability	a) True Online configuration with double conversion VFI SS 111		
	b) Microprocessor /DSP based control, using IGBT devices and high switching frequency PWM (>10kHz)		


 16.06.2026
 Principal
 Govt. ITI, Jharsuguda
 Odisha- 768202

	c) Active Power Factor Correction (APFC) in converter to improve Input Power Factor > 0.99		
Input facility -Phases / Wires	1 Phase IN & 1 Phase Out		
Input Voltage Range	160 – 280 V AC		
Input Frequency Range	46Hz~54Hz or 56Hz~64Hz		
Input Power Factor	≥ 0.99 @ nominal voltage (input voltage)		
Generator Compatibility	Compatibility to genset supply required		
Input Protection (Thru In-built 1P MCB)	Should be provided at the input of the UPS suitable for the full rated capacity of the UPS		
Nominal Output voltage	200/208/220/230(Default)/240VAC (Selectable)		
Output Voltage Regulation	$\pm 1\%$ (Batt. Mode)		
Nominal Output Frequency	46Hz~54Hz or 56Hz~64Hz		
Output Frequency Regulation	50Hz or 60Hz $\pm 0.1\text{Hz}$ on battery mode		
Output Wave Form	Pure sine wave		
Output Voltage Distortion (THDv)	$\leq 3\%$ THD (linear load); $\leq 5\%$ THD (non-linear load)		
Crest Factor	3 : 1 On Full Load (Minimum)		
Output Short circuit Protection	Electronic / Fused		
Transfer Time (Mode of operation)	Nil from Mains mode to Battery Mode		
	Nil from Battery Mode to Mains mode		
Transfer Time (Inverter to Bypass / Bypass to Inverter)	< 4 ms (Synchronized Mode)		
Automatic By-pass (In-built)	To be provided		
Overall Efficiency (AC to AC) - Online (Double Conversion)	$\geq 85\%$ at Full Load		
	$\geq 80\%$ in Battery mode		
Green Mode / Eco Mode	Shall be provided in each UPS (All ratings) to choose Higher Efficiency Mode of Operation		
Isolation Transformer	Inbuilt Isolation Transformer		
Measurements (On LCD)	Input: Voltage / Frequency		
	Output: Voltage / frequency		
	Battery: Remaining time / Voltage		
	Load: Percentage / kW		
Fault Indication (On LCD)	Charger Failure		
	Battery Failed		
	Battery Low		
	Overload		
Indications (LED/LED)	AC indicator/Battery Mode of Operation / Bypass feeding the load / UPS Fault		
Audible Alarms	Battery Low beep / DC Fault beep/ UPS Overload beep/ o/p short circuit fault beep/ Shutdown beep		
Battery Type	SMF, LIB, & Tubular (Depending on applications)		
Backup Required	30 mins		
Battery Bank Voltage	36V		



16.06.2026

Principal

Govt. ITI, Jharsuguda

Odisha- 768202

Charging Current	2A/4A/8A/12A (Adjustable)		
Batteries Type	12V VRLA or LIB or Tubular		
Battery recharge time (After complete discharge) to 90% capacity	8-10 hours		
USB Port	Shall be present in the UPS		
	Remote Authentication Dial-In User Service for central administer remote access shall be provided		
Cold Start	On DC Supply (Batteries) without AC Supply (Mains)		
Automatic Restart	UPS should start up automatically on mains resumption after battery low shutdown		
Operating Temperature	0 to 40 deg C		
Storage Temperature	-15 to 50 deg C		
Operating Humidity	0-95% RH @ 0-50°C (non-condensing)		
Operating Elevation	0 - 1000 m		
Type of Cooling	Natural Convection Cooling through air vents		
Rack provision for battery	Provided		
Noise Level	< 55 dbA at 1 meter distance		
Product Certificates	BIS Certification,ISO 9001,ISO 14001,Rohs Compliant		
Makes & Manufacturing location	For all Tower Mount UPS, Domestic component shall be >20% Component (Only for UPS excluding Battery and related accessories) & PCBs shall be manufactured in OEM's factory in India. The OEM shall be present in India from minimum 10 Years.		

Specification Sheet for Inverter with Battery			
Features	Description	Complied Yes/No	Deviations if any
		Mention the value	
Technology	Pure Sine Wave		
Capacity:	950 VA / 760 Watts		
Rated Output Voltage	230V $\pm$ 10%		
Rated Output Frequency	50Hz $\pm$ 0.1Hz		
Input Voltage Range:	Inverter Mode – 80V ~ 290V		
UPS Mode	180V ~ 265V		
Inverter Mode	80V ~ 290V		




16.06.2026
Principal

Govt. ITI, Jharsuguda
Odisha- 768202

Efficiency: < 80%	< 80%		
Backup Time:	Up to 1.9 hours (with standard connected load)		
	Up to 1.61 hours (with higher connected load)		
Waveform	Pure Sine Wave (safe for sensitive electronics)		
Protections	Overload, Short Circuit, Deep Discharge & Auto Reset		
Warranty	2Years (on inverter unit)		
Nominal Voltage (V) of Battery	12V		
Capacity in Ah at C20hr at 27°C at 1.75ECV	200		
Approx. Battery Weight ±5% in kgs with cid	63		
Charging current in(A)	Min.20 A and Max 40 A		
Ah efficiency	>90%		
Wh efficiency	>80%		
Terminal Type	L-Terminal with Antimony Lead Alloy		
Over cutoff voltage	15.2V		
Under cutoff voltage	10.5V		

LAPTOP			
Features	Description	Complied Yes/No	Deviations if any
		Mention the value	
Processor Descriptions	Intel Core 5 - 120U		
No. of core	10		
No. of threads	12		
Cache	12MB		
Graphics	Integrated Graphics		
Standard Memory	16GB		
Total Solid State Drive Capacity	512 GB		
Operating System	Windows 11 Professional		
Display Size	39.6 cm (15.6")		
Screen Resolution	1920 x 1080		
Slots	2 DIMM		
Audio	Dual stereo speakers, dual array microphones		
Ports	1 USB Type-C 10Gbps, 2 USB Type-A 5Gbps, 1 AC power, 1 HDMI, 1 stereo headphone/microphone combo jack		
Wireless Connectivity	Wi - Fi 6 & Bluetooth 5.2		
Webcam	720p HD camera with temporal noise reduction		
Battery Chemistry	Lithium Ion (Li-Ion)		


 16.06.2026
 Principal
 Govt. ITI, Jharsuguda
 Odisha- 768202

Battery Capacity	3-cell, 41Wh		
Power Supply	45 W External AC power		
	adapter		
Weight	1.59 Kg		

MULTI FUNCTION PRINTER			
Features	Description	Complied Yes/No	Deviations if any
		Mention the value	
Printing Speed	Upto 34/36 PPM		
Printing Resolutions	Upto 1200x1200dpi		
Printing	2 Sided Auto Duplex		
Copy Speed	Upto 34/36 PPM		
Copy Resolutions	Upto 600x600dpi		
Copy Feature	Multi Copy:Sort/Stake,N in 1		
Input Tray	250 Sheets		
Output Tray	120 Sheets		
Printing Cost	Less than 42 Paise in Orginal Catridge/Toner		
Max ,Monthly duty Cycle	Upto 35000 pages		



16.06.2026

Principal

Industrial Training Institute
Jharsuguda